



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/939,136	08/24/2001	Scott T. Brown	CSP-1	2977
21833 7590 08/21/2007 PRITZKAU PATENT GROUP, LLC 993 GAPTER ROAD BOULDER, CO 80303			EXAMINER JEAN GILLES, JUDE	
			ART UNIT 2143	PAPER NUMBER
			MAIL DATE 08/21/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

mw

Office Action Summary	Application No. 09/939,136	Applicant(s) BROWN ET AL.	
	Examiner Jude J. Jean-Gilles	Art Unit 2143	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05/25/2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4,6-30 and 43-72 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,4,6-30 and 43-72 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08/24/2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This Action is in regards to the Reply received on 05/25/2007.

Response to Amendments/Arguments

2. In the reply, no claim has been amended. Claims 1, 3, 4, 6-30 and 43-72 represent a method and apparatus for an "E-MAIL MESSAGING SYSTEM AND METHOD FOR ENHANCED RICH MEDIA DELIVERY."

Applicant's arguments with respect to the independent claims have been carefully considered, but are not deemed fully persuasive. Applicant's arguments are deemed moot in view of the existing ground of rejection as explained here below. Applicants have made no amendments to the independent claims to perhaps place them in condition for allowance.

The dependent claims stand rejected as articulated in the previous Office Action and all objections not addressed in Applicant's response are herein reiterated.

In response to Applicant's arguments, 37 CFR § 1.11(c) requires applicant to "clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. He or she must show the amendments avoid such references or objections."

Applicant's Request for Reconsideration filed on 05/25/2007 has been carefully considered but is not deemed fully persuasive. However, because there exists the likelihood of future presentation of this argument, the Examiner thinks that it is prudent to address Applicants' main points of contention:

A: Applicants submit that Gough does not teach every element of Claim 1. The Examiner relies upon cited FIG. 1 items 10, 12, 14, 15 and 16, the abstract, column 18, lines 3-20 and column 4, lines 1-21 of Gough for disclosure of the limitation of, after the e-mail message has been originated by an originating user of the first user group, directing the e-mail message onto an e-mail enhancement path, including (i) receiving the e-mail message at said first server, (ii) altering the e-mail message, and (iii) directing the altered e-mail message to a second server located on the e-mail enhancement path. Applicants respectfully submit that, while Claim 1 recites the directing of an e-mail message AFTER origination by the originating user onto an e-mail enhancement path, the cited passages of Gough teach the generation of the e-mail message with enhanced content attached thereto at the same site, as will be further described immediately below.

B: Applicant contends that "Each of Claims 3, 4, 6-13 and 27-30 depends either directly or indirectly from and therefore include the limitations of amended Claim 1. Accordingly, it is respectfully submitted that each of these claims is also patentable over the art of record for at least the reasons set forth above with respect to Claim 1.

C: Claim 14 is an independent claim including limitations, which reflect certain limitations of Claim 1, as discussed above. For example, like Claim 1, Claim 14 recites limitations of, after the e-mail message has been originated by an originating user of the first user group, directing the e-mail message onto an e-mail enhancement path and adding additional rich media content to the e-mail message using the e-mail enhancement path to produce an enhanced e-mail message. Therefore, it is respectfully

submitted that the arguments presented above in relation to these certain limitations and regarding the allowability of Claim 1 over Gough are also applicable to Claim 14. Furthermore, Claim 14 additionally recites providing a validation of the request such that the additional rich media content is added to the e-mail message responsive to the validation.

D: Applicants contend that the alleged facts regarding the allowability of Claim 1 over Gough are also applicable to Claim 25. Claim 25 additionally recites the use of an outgoing message path that includes at least one different process as compared to the incoming e-mail message path.

E: Applicants submit "Claim 62 is an independent claim including limitations which reflect certain limitations recited in Claim 1, as discussed above. For example, like Claim 1, Claim 62 provides directing the e-mail message to a predetermined location after the e-mail message has been originated by an originating user of the first user group and adding additional rich media content to the e-mail message to produce an enhanced e-mail message. Therefore, it is respectfully submitted that the arguments presented above in relation to these certain limitations and regarding the allowability of Claim 1 over Gough are also applicable to Claim 62. "

F: Applicants submit" Firstly, while the Examiner asserts, on page 12 of the outstanding Office Action, that Gough discloses "said messaging system including a firewall surrounding said first user group and said first server", it is respectfully submitted that Gough is absent of any teachings related to firewalls. In fact, the term "firewall" does not appear in the entirety of Gough.

Secondly, Applicants respectfully submit that Shapiro is not in the same field of endeavor as Gough because, while Gough is concerned with the CREATION of enhanced e-mail messages, Shapiro is concerned with the RECEPTION and VIEWING of content-rich communications, regardless of how the content-rich communication was generated. Therefore, it is respectfully submitted that there is no motivation to combine the teachings of Gough with those of Shapiro.”

As to point A, Applicants contend that Gough discloses in detail discloses the limitations of the claimed invention. However, in view of Applicant’s remarks, the Office respectfully concludes that the applicant mischaracterizes the teachings of Gough and that the arguments presented above is moot. With respect to claims 1, specifically, applicants contend that first, with respect to the teachings of Gough, there is a distinction that must be made between a “message” or “message content” and an email. The argument appears to be that Gough allegedly state a message to be a message content the is input by the sender. Applicants cherry pick passages in the patent of Gough in order to present the reference in a light that is different from the claimed invention. The Examiner respectfully compels Applicants to capture the essence of the teachings of the prior art reference. In the abstract of Dough, an “e-mail message generated by the sender” is disclosed, not an email content as mischaracterized by applicants. The email message here is an email communication with all required portion of a complete message. Furthermore, the support for the details of the additional email enhancement path can be found in the specifications of Dough, and particularly in column 2, section SUMMARY of the invention (see rejection of claim 1 below).

As to points B, and C, see point A above.

As to point D, the Examiner will not reiterate the rebuttal of point A for claim 1, as it is clearly stated above. In addition, see figs 1, 12, and 13.

As to point E, see abstract,, fig. 1 and 2B, columns 4, 6, 7, and 18).

As to point F, the Examiner disagrees with Applicants as to the statement that the word firewall is not mentioned in the teachings of Shapiro. Shapiro discloses in column 11 that those skilled in the art will be familiar with configuring multiple computers to operate as a single server with farms of computers functioning as firewalls, database servers, proxy servers, and process load balancers. Furthermore, Dough and Shapiro, contrary to the argument of Applicants are not analogous art, but are definitely in the same field of endeavor, sending and receiving email and rich text messages.

Examiner notes that no new matter has been added and that the new claims are supported by the application as filed. However, applicant has failed in presenting claims and drawings that delineate the contours of this invention as compared to the cited prior art. Applicant has failed to clearly point out patentable novelty in view of the state of the art disclosed by the references cited that would overcome the 102(e) and 103(a) rejections applied against the claims, the rejection is therefore sustained.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 2143

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1, 3, 4, 6-30 and 62-63 are rejected under 35 U.S.C. 102(e) as being anticipated by Gough et al (Gough), Patent No. 6,360,221 B1.

Regarding **claims 1, 3, 4, and 6-30**, Gough discloses:

1. (currently amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of another user in the first user group and a remote user interfaced to the Internet by a connection other than said first server (fig. 1, items 10, 12, 14, 15, and 16; also see abstract), a method comprising:

after said e-mail message has been originated by an originating user of the first user group, directing the e-mail message onto an e-mail enhancement path, including (i) receiving the e-mail message at said first server, (ii) altering the e-mail message, and (iii) directing the altered e-mail message to a second server located on the e-mail enhancement path (column 18, lines 3-20; column 4, lines 1-21);

adding additional rich media content to said e-mail message using the e-mail enhancement path to produce an enhanced e-mail message (fig. 2B; column 6, line 12-39); and

thereafter, directing the enhanced e-mail message from the e-mail enhancement path to the intended recipient (fig. 3, column 7, lines 43-61; column 3, lines 50-67).

2. (canceled)

3. (currently amended) The method of claim 1 wherein said receiving includes using TCP/IP socket communication (column 3, lines 50-67).

4. (currently amended) The method of claim 1 wherein said receiving includes using direct API access (fig. 11; column 14, lines 38-45).

5. (canceled)

6. (currently amended) The method of claim 1 wherein said e-mail message includes a header section, which contains information regarding the originating user and the intended recipient, and wherein said altering the e-mail message includes separating and modifying the header section in a predetermined way (fig. 3, item 36).

7. (previously amended) The method of claim 6 wherein said separating and modifying the header section includes parsing and temporarily storing the originating user and intended recipient information contained in the header section in a designated file separate from the e-mail message (fig. 3, item 36).

8. (previously amended) The method of claim 6 wherein said modifying the header section in said predetermined way includes inactivating said information regarding the originating user and intended recipient contained in the header section, and adding an alternate header section containing active information regarding an alternate sender and an alternate message recipient (fig. 3, item 36).

9. (previously amended) The method of claim 8 wherein said inactivating includes adding a predetermined prefix to the originating user and intended recipient information contained in the header section such that said information is inactivated (fig. 3, item 36).

10. (previously amended) The method of claim 8 wherein said adding the alternate header section includes specifying said second server as the alternate message recipient (fig. 3, item 36).

11. (previously amended) The method of claim 8 wherein said directing the enhanced message to the intended recipient includes deleting the alternate header section, and reactivating the originating user and intended recipient information contained in the header section of the e-mail message (fig. 3, item 36).

12. (currently amended) The method of claim 1 wherein said directing the altered e-mail message to the second server includes using TCP/IP socket communication (column 3, lines 50-67).

13. (previously amended) The method of claim 1 wherein said directing the e-mail message onto the e-mail enhancement path includes adding a request for additional rich media content to the e-mail message (fig. 2B; column 6, line 12-39).

14. (currently amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user

interfaced to the Internet by a connection other than said first server (fig. 1, items 10, 12, 14, 15, and 16; also see abstract), a method comprising:

after said e-mail message has been originated by an originating user of the first user group, directing the e-mail message onto an e-mail enhancement path (column 18, lines 3-20; column 4, lines 1-21);

adding additional rich media content to said e-mail message using the e-mail enhancement path to produce an enhanced e-mail message (fig. 2B; column 6, line 12-39); and

thereafter, directing the enhanced e-mail message from the e-mail enhancement path to the intended recipient including adding a request for additional rich media content to the e-mail message and adding said request for additional rich media content to said e-mail message includes providing a validation of the request such that said additional rich media content is added to said e-mail message responsive to said validation (fig. 3, column 7, lines 43-61; column 3, lines 50-67).

15. (previously amended) The method of claim 14 wherein said adding the request for additional rich media content further includes inserting one or more reference tags into said e-mail message (column 14, lines 15-36).

16. (previously amended) The method of claim 15 wherein said providing the validation of the request for additional rich media content includes assigning a desired set of rules for said validation, and generating the validation according to the desired set of rules (fig. 3, column 7, lines 43-61; column 3, lines 50-67).

17. (previously amended) The method of claim 15 wherein said inserting one or more reference tags into said e-mail message includes adding a message ID tag for identifying the e-mail message, which message ID tag is unique to said e-mail message (column 14, lines 15-36).

18. (previously amended) The method of claim 15 wherein said inserting one or more reference tags into said e-mail message includes adding a group ID tag for identifying the e-mail message as being sent by said first user group (column 14, lines 15-36).

19. (previously amended) The method of claim 15 wherein said inserting one or more reference tags into said e-mail message includes adding a template ID tag for identifying the additional rich media content to be added to the e-mail message (column 14, lines 15-36).

20. (previously amended) The method of claim 19 wherein said adding the template ID tag is performed responsive to a specified action taken by the originating user (column 14, lines 15-36).

21. (previously amended) The method of claim 19 wherein said first user group is subject to control at an administrative level, and wherein said adding the template ID tag is performed responsive to an administrative selection rather than responsive to action taken by the originating user (column 14, lines 15-36).

22. (previously amended) The method of Claim 15 further comprising recording said reference tags in a database (column 14, lines 15-36).

23. (previously amended) The method of claim 15 wherein said e-mail message includes a header section, which contains information regarding the originating user and the intended recipient, and wherein said inserting one or more reference tags into said e-mail message includes adding one or more of said reference tags to the header section of the e-mail message (column 14, lines 15-36).

24. (previously amended) The method of claim 15 wherein said e-mail message includes a header section, which contains information regarding the originating user and the intended recipient, and wherein said inserting one or more reference tags into said e-mail message includes adding one or more of said reference tags to the e-mail message outside of the header section (column 14, lines 15-36).

25. (currently amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, and said messaging system further defines an in-coming e-mail message path to each user of the first user group from the first server at least for receiving an external e-mail message originating outside the first user group and directed to one or more of the users of the first user group (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract) a method comprising:

after said e-mail message has been originated by an originating user of the first user group, directing the e-mail message onto an e-mail enhancement path by routing the e-mail message to an out-going message path, which includes the enhancement path, and which includes at least one different process as compared to the incoming e-mail message path(column 18, lines 3-20; column 4, lines 1-21);

adding additional rich media content to said e-mail message using the e-mail enhancement path to produce an enhanced e-mail message(fig. 2B; column 6, line 12-39); and

thereafter, directing the enhanced e-mail message from the e-mail enhancement path to the intended recipient (fig. 3, column 7, lines 43-61;column 3, lines 50-67).

26. (previously amended) The method of claim 25 wherein said routing the e-mail message to an out-going message path includes directing the e-mail message through a second server, which second server is outside of the in-coming e-mail message path (fig. 1, items 12 and 15).

27. (previously amended) The method of claim 1 wherein said adding additional rich media content to the e-mail message includes creating one or more rich media templates to serve as said additional rich media content (column 14, lines 15-36).

28. (previously amended) The method of claim 27 wherein said creating one or more templates includes implementing a set of computer code compatible with the Internet, said set of computer code including instructions for displaying specified rich media content (column 14, lines 15-36).

29. (previously amended) The method of claim 28 wherein said creating one or more rich media templates further includes adding an insertion tag for identifying a point in said rich media template at which point at least a portion of said e-mail message is to be inserted into the rich media template (column 14, lines 15-36).

30. (Original) The method of claim 28 wherein said set of computer code is in HTML.

31-42. (Canceled)

62. (previously amended) A computer program arrangement in a computer readable medium for use in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said computer program arrangement comprising:

first instructions for directing the e-mail message to a predetermined location after said e-mail message has been originated by an originating user of the first user group (column 18, lines 3-20; column 4, lines 1-21);

at the predetermined location, second instructions for adding additional rich media content to said e-mail message to produce an enhanced e-mail message (fig. 2B; column 6, line 12-39); and

third instructions for directing the enhanced e-mail message to the intended recipient (fig. 3, column 7, lines 43-61; column 3, lines 50-67; figs. 4, and 8; Note that any number of instructions can be used in directing the message).

63. (Original) The computer program arrangement of claim 62 wherein said first, second and third instructions are distributed at least among the first user group and the first server (figs. 4, and 8).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. **Claims 43-61 and 64-72** are rejected under 35 U.S.C. 103(a) as being unpatentable over Gough in view of Shapiro et al (Shapiro) U.S. patent No. 6965926 B1.

Regarding claim 43, Gough discloses the invention substantially as claimed. Gough teaches in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to

the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), a method comprising :

after said email message has been originated by an originating user of the first user group, adding a request for desired additional rich media content to the e-mail message and placing the e-mail message en route to the intended recipient (column 18, lines 3-20; column 4, lines 1-21);

directing the e-mail message to a first location inside the firewall; at the first location, identifying the request for desired additional rich media content in the e-mail message and providing a validation of the request for desired additional rich media content (column 18, lines 3-20; column 4, lines 1-21; column 13, lines 18-26);

forwarding the e-mail message to a second location outside the firewall; at the second location, adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (figs. 1 and 3; column 7, lines 43-61; column 3, lines 50-67). However Gough does not disclose the details of "directing the e-mail message to a first location inside the firewall and forwarding the e-mail message to a second location outside the firewall.

In the same field of endeavor, Shapiro discloses a "*Those skilled in the art will be familiar with configuring multiple computers to operate as a single server with farms of computers functioning as firewalls, database servers, proxy*

servers, and process load balancers... the dynamic content server may also be implemented to handle security protocols related to the content. Some of the content may be personal, confidential or proprietary. The dynamic content server (as well as the front-end client module 610 and the receiving email client module 670) may use custom or commercially available security protocols that may be overlaid onto content streams as they exit the front-end node 405 and the dynamic content server 440 in order to provide a secure email environment. In the exemplary embodiment, a conventional triple DES security protocol is preferred to be overlaid on outgoing streams of content to provide secure messaging. Other security protocols may be used as well..."[see Shapiro; column 11, lines 46-54; column 20, lines 58-67].

Accordingly, it would have been obvious to one of ordinary skill in the networking art at the time the invention was made to have incorporated Shapiro's teachings of firewalls to secure an e-mail message, with the enhanced e-mail within an enhancement path teachings of Gough, for the purpose of "to provide a comprehensive solution for receiving and viewing content-rich communications and messages that enable efficient delivery of such messages while avoiding the need for large downloads and issues with latency..." as stated by Shapiro in lines 25-31 of column 3. By this rationale **claim 43** is rejected.

Regarding claims 44-61 and 64-72, the combination Gough-Shapiro discloses:

44. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first

server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server, a method comprising:

after said e-mail message has been originated by an originating user of the first user group, directing the e-mail message to a first location inside the firewall [see Shapiro; column 11, lines 46-54; column 20, lines 58-67];

at the first location, adding a request for desired additional rich media content to the e-mail message and providing a validation of the request for desired additional rich media content; forwarding the e-mail message to a second location outside the firewall [see Shapiro; column 11, lines 46-54; column 20, lines 58-67];

at the second location, adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

45. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient

selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server [see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a method comprising:

adding a request for desired additional rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21);

at the first location, identifying the request for desired additional rich media content in the e-mail message and providing a validation of the request for desired additional rich media content according to a predetermined set of rules (see Gough; column 18, lines 3-20; column 4, lines 1-21);

forwarding the e-mail message to a second location outside the firewall;

at the second location, adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

46. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended

recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server [see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a method comprising:

placing said e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall;

at the first location, adding a request for desired additional rich media content to the e-mail message and providing a validation of the request for desired additional rich media content according to a predetermined set of rules (column 18, lines 3-20; column 4, lines 1-21);

forwarding the e-mail message to a second location outside the firewall (column 18, lines 3-20; column 4, lines 1-21);

at the second location, adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21).

47. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user

Art Unit: 2143

interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server [see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a method comprising :

adding a request for desired additional rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall (column 18, lines 3-20; column 4, lines 1-21);

at the first location, identifying the request for desired additional rich media content in the e-mail message and providing a validation of the request for desired additional rich media content (column 18, lines 3-20; column 4, lines 1-21);

forwarding the e-mail message, after said providing the validation, to a second location inside the firewall (column 18, lines 3-20; column 4, lines 1-21);

at the second location, selectively adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (fig. 3, column 7, lines 43-61; column 3, lines 50-67).

48. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended

recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a method comprising:

placing said e-mail message en route to the intended recipient; directing the e-mail message to a first location inside the firewall (column 18, lines 3-20; column 4, lines 1-21);

at the first location, adding a request for desired additional rich media content to the e-mail message and providing a validation of the request for desired additional rich media content (column 18, lines 3-20; column 4, lines 1-21);

forwarding the e-mail message, after providing the validation, to a second location inside the firewall (column 18, lines 3-20; column 4, lines 1-21);

at the second location, selectively adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (fig. 3, column 7, lines 43-61; column 3, lines 50-67).

49. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user

Art Unit: 2143

interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a method comprising:

adding a request for desired additional rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall (column 18, lines 3-20; column 4, lines 1-21);

at the first location, identifying the request for desired additional rich media content in the e-mail message and providing a validation of the request for desired additional rich media content according to a predetermined set of rules (column 18, lines 3-20; column 4, lines 1-21);

forwarding the e-mail message to a second location inside the firewall;
at the second location, selectively adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (fig. 3, column 7, lines 43-61; column 3, lines 50-67).

50. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended

recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a method comprising :

placing said e-mail message en route to the intended recipient, directing the e-mail message to a first location inside the firewall (column 18, lines 3-20; column 4, lines 1-21);

at the first location, adding a request for desired additional rich media content to the e-mail message and providing a validation of the request for desired additional rich media content according to a predetermined set of rules (column 18, lines 3-20; column 4, lines 1-21);

forwarding the e-mail message to a second location inside the firewall(see Gough; column 18, lines 3-20; column 4, lines 1-21);

at the second location, selectively adding the desired additional rich media content to said e-mail message responsive to said validation to produce an enhanced e-mail message; and thereafter, redirecting the enhanced e-mail message to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21).

51. (previously amended) In multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient

selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

means for adding a request for desired additional rich media content to the e-mail message and placing the e-mail message en route to the intended recipient, means for directing the e-mail message to a first location inside the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21);

means for receiving the e-mail message at the first location, for identifying the request for desired additional rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media content, said identifying means being located inside the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21);

means for adding the desired additional rich media content to the e-mail message responsive to the validation to produce an enhanced e-mail message, said receiving means being located outside the firewall; and means for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

52. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group

may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

means for placing said e-mail message en route to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21);

means for directing the e-mail message to a first location inside the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21);

means for receiving the e-mail message at the first location, for adding a request for desired additional rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media content, said identifying means being located inside the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21);

means for adding the desired additional rich media content to the e-mail message responsive to the validation to produce an enhanced e-mail message, said receiving means being located outside the firewall; and means for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

53. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first

server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

- a first arrangement for adding a request for desired additional rich media content to the e-mail message and for placing the e-mail message en route to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21);

- a second arrangement located within the firewall for selectively receiving the e-mail message within the firewall, for identifying the request for desired additional rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media content (see Gough; column 18, lines 3-20; column 4, lines 1-21);

- a third arrangement for selectively adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media content, said third arrangement being located outside the firewall and configured for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

54. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

- a first arrangement for placing the e-mail message en route to the intended recipient;
- a second arrangement located within the firewall for receiving the e-mail message, for adding a request for desired additional rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media content (see Gough; column 18, lines 3-20; column 4, lines 1-21);

- a third arrangement for selectively adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media content, said third arrangement being located outside the firewall and configured for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

55. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first

Art Unit: 2143

server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

- a first enhancement configuration within the firewall, said first enhancement configuration being configured for adding a request for desired additional rich media content to the e-mail message, placing the e-mail message en route to the intended recipient, receiving the e-mail message within the firewall, identifying the request for desired additional rich media content in the received e-mail message, providing a validation of the request for desired additional rich media content, and directing the received e-mail message to a predetermined location outside the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21); and

- a second enhancement configuration located at said predetermined location, said second enhancement configuration being configured for adding the desired additional rich media content to the forwarded e-mail message, responsive to the validation, to produce an enhanced e-mail message, and redirecting the enhanced e-mail message from the second enhancement server to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

56. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

a first enhancement configuration within the firewall, said first enhancement configuration being configured for placing the e-mail message en route to the intended recipient receiving the e-mail message within the firewall, adding a request for desired additional rich media content to the received e-mail message, providing a validation of the request for desired additional rich media content, and directing the received e-mail message to a predetermined location outside the firewall(see Gough; column 18, lines 3-20; column 4, lines 1-21); and

a second enhancement configuration located at said predetermined location, said second enhancement configuration being configured for adding the desired additional rich media content to the forwarded e-mail message, responsive to the validation, to produce an enhanced e-mail message, and redirecting the enhanced e-mail message from the second enhancement server to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

57. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server [see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

means for adding a request for desired additional rich media content to the e-mail message and for placing the e-mail message en route to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21);

means located within the firewall for receiving the e-mail message, for identifying the request for desired additional rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media content (see Gough; column 18, lines 3-20; column 4, lines 1-21); and

means located within the firewall for adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message and for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

58. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first

Art Unit: 2143

server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server [see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

means for placing the e-mail message en route to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21);

means located within the firewall for receiving the e-mail message, for adding a request for desired additional rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media content (see Gough; column 18, lines 3-20; column 4, lines 1-21); and

means located within the firewall for adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message and for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

59. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended

recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server [see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

a first arrangement for adding a request for desired additional rich media content to the e-mail message and for placing the e-mail message en route to the intended recipient; a second arrangement for selectively receiving the e-mail message within the firewall; a third arrangement for identifying the request for desired additional rich media content in the received e-mail message and for providing a validation of the request for desired additional rich media content; (see Gough; column 18, lines 3-20; column 4, lines 1-21); a fourth arrangement for adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media content; a fifth arrangement for redirecting the enhanced e-mail message to the intended recipient. (see Gough; column 18, lines 3-20; column 4, lines 1-21); and

60. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user

interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

a first arrangement for placing the e-mail message en route to the intended recipient; a second arrangement for selectively receiving the e-mail message within the firewall; a third arrangement for adding a request for desired additional rich media content to the received e-mail message and for providing a validation of the request for desired additional rich media content; a fourth arrangement for adding the desired additional rich media content to the e-mail message responsive to said validation to produce an enhanced e-mail message including the desired additional rich media content; and a fifth arrangement for redirecting the enhanced e-mail message to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21).

61. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

a first enhancement configuration within the firewall, said first enhancement configuration being configured for adding a request for desired additional rich media content to the e-mail message, placing the e-mail message en route to the intended recipient, receiving the e-mail message within the firewall, identifying the request for desired additional rich media content in the received e-mail message, providing a validation of the request for desired additional rich media content, and directing the received e-mail message to a predetermined location inside the firewall(see Gough; column 18, lines 3-20; column 4, lines 1-21); and

a second enhancement configuration located at said predetermined location, said second enhancement configuration being configured for adding the desired additional rich media content to the forwarded e-mail message, responsive to the validation, to produce an enhanced e-mail message, and redirecting the enhanced e-mail message from the second enhancement server to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

64. (previously amended) A computer program arrangement in a computer readable medium for use in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14,

15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server [see Shapiro; column 11, lines 46-54; column 20, lines 58-67], said computer program arrangement comprising:

first instructions for receiving the e-mail message within the firewall after said e-mail message has been originated by an originating user of the first user group, said e-mail message including a request for desired additional rich media content; second instructions for identifying the request for desired additional rich media content in the received e-mail message; third instructions for providing a validation of the request for desired additional rich media content; fourth instructions for forwarding the received e-mail message to predetermined location outside the firewall; at the predetermined location, fifth instructions for adding the desired additional rich media content to the forwarded e-mail message responsive to said validation to produce an enhanced e-mail message; and sixth instructions for redirecting the enhanced e-mail message to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21).

65. (Original) The computer program arrangement of claim 64, wherein said messaging system further includes a second server located at the predetermined location, and wherein said first, second, third, fourth, fifth and sixth instructions are distributed at least among the first user group and the first and second servers (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

66. (previously amended) A computer program arrangement in a computer readable medium for use in a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which

first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server, said messaging system including a firewall surrounding said first user group and said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said computer program arrangement comprising:

first instructions for receiving the e-mail message within the firewall after said e-mail message has been originated by an originating user of the first user group, said e-mail message including a request for desired additional rich media content [see Shapiro; column 11, lines 46-54; column 20, lines 58-67],;

second instructions for identifying the request for desired additional rich media content in the received e-mail message; third instructions for providing a validation of the request for desired additional rich media content; fourth instructions for forwarding the received e-mail message to a predetermined location inside the firewall (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67);

at the predetermined location, fifth instructions for adding the desired additional rich media content to the forwarded e-mail message responsive to said validation to produce an enhanced e-mail message; and sixth instructions for redirecting the enhanced e-mail message to the intended recipient (see Gough; column 18, lines 3-20; column 4, lines 1-21).

67. (Original) The computer program arrangement of claim 66 wherein said first, second, third, fourth, fifth and sixth instructions are distributed at least among the first user group and the first server (see Gough; column 18, lines 3-20; column 4, lines 1-21);

68. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

means for allowing an originating user of the e-mail message to add a request for desired additional rich media content to the e-mail message, for providing a validation of the request for desired additional rich media content according to a set of desired criteria, and for directing the e-mail message to a specified location(see Gough; column 18, lines 3-20; column 4, lines 1-21); and

means for performing additional processing located at the specified location configured for adding the desired additional rich media content to the e-mail message, responsive to said validation, to produce an enhanced e-mail message, and for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

69. (Original) The e-mail messaging system of claim 68 further including a firewall surrounding said first user group and said first server and wherein said predetermined location is situated outside of the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21);

70. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message, said e-mail message being originated by an originating user and including a body, which contains a portion of the e-mail message viewable by the originating user, and for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

means for allowing the originating user to add a reference tag to the e-mail message before the e-mail message has been originated by the originating user, which reference tag is positioned outside of the body of the e-mail message, and for directing the e-mail message, including the reference tag, to a specified location outside of the firewall(see Gough; column 18, lines 3-20; column 4, lines 1-21); and
at the specified location, means for adding additional rich media content to the body of the e-mail message, responsive to the reference tag, to produce an

enhanced e-mail message, and for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

71. (Original) The e-mail messaging system of claim 70 wherein said preprocessing means further includes means for validating the reference tag according to a set of desired criteria after the e-mail message, including the reference tag, has been originated by the originating user (column 14, lines 15-36).

72. (previously amended) In a multi-user e-mail messaging system interfaced through the Internet and including at least a first user group sharing at least a first server, which first server is, in turn, interfaced to the Internet such that any user of the first user group may send an e-mail message for transfer to an intended recipient selected as at least one of (i) another user in the first user group and (ii) a remote user interfaced to the Internet by a connection other than said first server (see Gough; fig. 1, items 10, 12, 14, 15, and 16; also see abstract), said messaging system including a firewall surrounding said first user group and said first server[see Shapiro; column 11, lines 46-54; column 20, lines 58-67], a configuration comprising:

a local e-mail server system located within the firewall and including an e-mail client plug-in for allowing an originating user of the first user group, which originating user originates said e-mail message, to add a request for desired additional rich media content to the e-mail message, a local enhancement server for providing a validation of the request for desired additional rich media content according to a set of predetermined criteria after the e-mail message, including the request for desired additional rich media content, has been originated by the originating user of the first

Art Unit: 2143

user group, and also for directing the e-mail message, including the request for desired additional rich media content, to a predetermined location outside of the firewall (see Gough; column 18, lines 3-20; column 4, lines 1-21); and

an external enhancement server at the predetermined location for adding the desired additional rich media content to the e-mail message responsive to the validation to produce an enhanced e-mail message, and for redirecting the enhanced e-mail message to the intended recipient (see Gough; fig. 3, column 7, lines 43-61; column 3, lines 50-67).

73-76. (canceled)

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2143

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from examiner should be directed to Jude Jean-Gilles whose telephone number is (571) 272-3914. The examiner can normally be reached on Monday-Thursday and every other Friday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley, can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is (703) 305-3719.


Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Jude Jean-Gilles

Patent Examiner

Art Unit 2143

August 12, 2007


DAVID WILEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100